



'WP' WATER

TREATMENT PLANTS



The DAYLIFF 'WP' Range of water treatment plants are the ideal solution of hygienic small scale water supplies in isolated areas where mains water is unavailable. The range has evolved over many years of development and is an extremely effective combination of the latest technology components with tried and tested production experience.

Treatment provided is the conventional flocculation, sedimentation, chlorination and filtration process which is an effective solution for the removal of suspended particles and organic pollution found in the majority of surface waters in the region. Provided excessive inorganic pollution is not present, extremely high quality potable water is available.

A particular feature of the design is recognition of the fact that these plants will be operated at isolated sites where simplicity and reliability are vital. Complex electrical and mechanical components are therefore avoided with the result that the operation and maintenance is very simple.

Four basic models are available, all with the following features:-

- High efficiency vertical flow steel plate sedimentation basin.
- Automatic chemical dosage of Alum & Chlorine.
- Options of one or two high quality GRUNDFOS filter pumps which provide sufficient pressure for delivery to adjacent clear water tanks. The pumps are fully wired and connected with necessary controls provided.
- Double filtration through two series connected pressure sand filters. When combined with specially graded filter media the result is especially high quality filtration.
- Fully automatic operation - the quantity of water produced is automatically regulated by site demand.
- Totally integrated units (skid mounted except for WP 1000 model) for simple site installation. The treatment plants are complete from the raw water inlet to the clear water outlet so all that is required for installation is a concrete plinth, piping and electrical connections.

The units can be supplied either ex-works or installed together with necessary accessories as part of a complete project and expert advice is available to help select the one most appropriate to the site needs.

SPECIFICATIONS

MODEL	OUTPUT (m ³ /hr)	BASIN CAPACITY (m ³)	STANDARD FILTER PUMP		DIMENSIONS (mm)				
			Model	Motor	PLANT			PLINTH	
					H	L	W	PL	PW
WP 150	1.5	3	CH2-30	0.5HP	2600	3000	1500	4000	2500
WP 250	2.5	5.5	CH2-30	0.5HP	3200	3000	1800	4600	2800
WP 500	5	10	CH4-30	1HP	3500	4400	2400	5400	3400
WP 1000	10	20	CH12-30	2HP	3500	7000	2400	8000	3400

Sedimentation Basin: Rectangular section upward flow basins with conical base, sludge bleed and integral balance tank.

Filters: 2 No series connected DAYLIFF 'CX' GRP pressure sand filters with manual ball type control valves and rated up to 3 Bar operating pressure.

Chemical Dosage: Dosage of Alum and Chlorine is offered as standard with other chemical options being available to suit site conditions. A pumped dosage system is provided using Hanna BL chemical dosing pumps drawing from 170l GRP concentrate tanks.


Pumps: Grundfos CH type multistage horizontal centrifugal pumps with integral motors. All models are for 240V single phase power supply.

OPERATING CONDITIONS

Raw water quality: Surface waters containing suspended solids and bacteria. The plants are not suitable for treatment of any dissolved solids including hardness and salinity.

Max. Water temperature: +40°C

EQUIPMENT LAYOUT



NB. Contents herein are not warranted. The right is reserved to amend specifications without notice.

AVAILABLE FROM

AW14C-11/04



KENYA

NAIROBI - HEAD OFFICE
DUNDORI RD
P O BOX 41762, 00100 GPO
TEL: (254 20) 558335, 536901, FAX: 557617
d&s@dayliff.com

THE POOL SHOP
CENTRO HSE, RING RD WESTLANDS
P O BOX 41762, 00100 GPO
TEL: (254 20) 4446011, 4446016, FAX: 4442588
poolshop@dayliff.com

ELDORET
UGANDA RD, ELDOTUNE BLD, P O BOX 4776
TEL: (254 53) 61306, FAX: 62335
d&s@eld.dayliff.com

KISUMU
OBOTE RD, P O BOX 4690,
TEL: (254 57) 445378, FAX: 23103
d&s@ksm.dayliff.com

MOMBASA
JOMO KENYATTA AVENUE P O BOX 82438,
TEL: (254 41) 490861, 492626, 490136, FAX: 490868
d&s@msa.dayliff.com

UGANDA

KAMPALA
JINJIRA RD, P O BOX 22824
TEL: (6 41) 346337/8, FAX: 346335,
d&s@ug.dayliff.com

TANZANIA

DAR ES SALAAM
GEREZANI RD, P O BOX 10725
TEL: (7 22) 2112515/6, FAX: 2112513
office@tzdayliff.com

ZAMBIA

LUSAKA
LUMUMBA RD, P O BOX 112 FW
Tel: (01) 288010/11, Fax: (01) 288010
d&s@zm.dayliff.com

RWANDA

KIGALI
MUJHIMA ROAD, BP 7039
Tel: (250) 09755381
hnmuchiri@mail.com

www.dayliff.com